

**ETOWAH CHEMICAL**  
**SALES & SERVICE**  
P.O. BOX 4416  
GADSDEN, AL 35904-0416  
(800) 848-8541



**N. F. P. A.**  
4 = Extreme  
3 = High  
2 = Moderate  
1 = Slight  
0 = Insignificant

<b>HEALTH</b>	<b>2</b>
<b>FIRE</b>	<b>0</b>
<b>REACTIVITY</b>	<b>0</b>
<b>PERSONAL PROTECTION</b>	<b>B</b>

## Material Safety Data Sheet

24 Hour Emergency Telephone Number: (800) 535-5053

### SECTION I - IDENTIFICATION

<b>Product Name</b>	<b>SC-310 METAL PRE-CLEAN</b>	<b>Date last Revised</b>	AUG 2009
<b>Chemical Family</b>	ALKALINE CLEANER	<b>Item Number</b>	<b>ETC-1553</b>
<b>Proper D.O.T. Shipping Name</b>	CLEANING COMPOUND, LIQUID		
<b>D.O.T. Hazard Classification</b>	NOT REGULATED		

### SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

% By Weight	Material	PEL	T. L. V.	C. A. S. No.
<5	SODIUM METASILICATE PEL & TLV ARE FOR TOTAL NUISANCE DUST	15 ppm	10ppm	6834-92-0
3-5	2-BUTOXYETHANOL SARA TITLE III SECTION 313 REQUIRES ANNUAL REPORTS OF RELEASE OF 2-BUTOXYETHANOL IF OTHERWISE USE EXCEEDS 10,000 POUNDS PER YEAR.	25ppm TWA	25ppm TWA	11-76-2
	Balance non-hazardous ingredients			

### SECTION III - PHYSICAL DATA

<b>Boiling Point</b>	212 F	<b>pH (Conc.)</b>	13.0
<b>Solubility In Water</b>	COMPLETE	<b>pH (Use Dilution)</b>	11.4
<b>% Volatility By Weight</b>	<90	<b>Evaporation Rate</b>	N/A
<b>Specific Gravity</b>	1.060	<b>Physical Form</b>	LIQUID
<b>Appearance And Odor</b>	CLEAR COLORLESS LIQUID, SWEET SOLVENT ODOR		

### SECTION IV - FIRE AND EXPLOSION DATA INGREDIENTS/IDENTITY

<b>Flash Point</b>	NONE
<b>Extinguishing Media</b>	N/A
<b>Flammable Limits</b>	N/A
<b>Special Fire Fighting Procedures</b>	N/A
<b>Unusual Fire and Explosion Hazards</b>	CONCENTRATED PRODUCT CAN REACT WITH ALUMINUM, ZINC, MAGNESIUM AND COPPER TO FORM HYDROGEN GAS WHICH CAN FORM EXPLOSIVE MIXTURES.

### SECTION V - REACTIVITY DATA

<b>Stability</b>	STABLE
<b>Conditions to Avoid</b>	NONE
<b>Incompatibility</b>	ACIDS, STRONG OXIDIZERS
<b>Hazardous Decomposition Products</b>	NONE
<b>Hazardous Polymerization</b>	WILL NOT OCCUR

<b>SECTION VI - HEALTH HAZARD</b>	
<b>Routes(s) of Entry</b>	<b>Inhalation? NO   Skin? YES   Ingestion? NO</b>
<b>Health Hazards (Acute and Chronic)</b>	EYES: CAN CAUSE IRRITATION, REDNESS AND BURNS. SKIN: CAN CAUSE IRRITATION AND DERMATITIS. INGESTION: CAUSES BURNS OF GASTRO-INTENSIONAL TRACT. INHALATION: EXCESSIVE INHALATION CAN CAUSE NASAL AND RESPIRATORY IRRITATION.
<b>Carcinogenicity</b>	<b>NTP? NO   IARC Monographs? NO   OSHA Regulated? NO</b>
<b>Emergency Aid and First Aid Procedures</b>	EYES: FLUSH WITH WATER FOR 15 MINUTES. IF EYE DAMAGE OCCURS, CONSULT AN OPHTHALMOLOGIST. SKIN: FLUSH WITH WATER FOR 15 MINUTES. INHALATION: REMOVE TO FRESH AIR . IF BREATHING IS DIFFICULT ADMINISTER OXYGEN. INGESTION: DO NOT INDUCE VOMITING DILUTE WITH WATER OR MILK. CALL A PHYSICIAN. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
<b>SECTION VII - SPILL OR LEAK PROCEDURES</b>	
<b>Spill Response</b>	CLEAN-UP WORKERS MUST USE PROTECTIVE CLOTHING TO PREVENT BODY CONTACT . PICK UP WITH WET MOP, WET VAC OR ABSORBENT MATERIAL. RINSE FLOOR WITH CLEAR WATER AND ALLOW FLOOR TO DRY BEFORE ALLOWING TRAFFIC.
<b>Waste Disposal Method</b>	DILUTE WITH WATER AND ADJUST pH WITH DILUTE ACID TO A pH BELOW 9.0, THEN FLUSH TO A SANITARY SEWER FOLLOWING LOCAL STATE AND FEDERAL REGULATIONS
<b>SECTION VIII - SPECIAL PROTECTION INFORMATION</b>	
<b>Eye Protection</b>	WEAR SAFETY GLASSES CHEMICAL SPLASH GOGGLES.
<b>Skin Protection</b>	WEAR NEOPRENE GLOVES.
<b>Ventilation</b>	NORMAL ROOM VENTILATION.
<b>Respiratory Protection</b>	NONE REQUIRED IN NORMAL CONDITIONS. WHEN EXCESSIVE MISTS ARE GENERATED ABOVE TLV'S USE A RESPIRATOR.
<b>Other Protection</b>	RUBBER BOOTS AND RUBBER APRONS WHEN HANDLING.
<b>SECTION IX - SPECIAL PRECAUTIONS</b>	
<b>Precautions in Handling and Storage</b>	KEEP OUT OF REACH OF CHILDREN. STORE AT ROOM TEMPERATURE . RINSE CONTAINER BEFORE DISCARDING. STORE AWAY FROM ACIDS.
<b>Other Precautions</b>	THIS PRODUCT IS NOT REGULATED UNDER CERCLA. NOT REPORTABLE UNDER SARA TITLE III, SECTION 311-312.
<b>PREPARED BY: David Brunton, Chemist</b>	
Disclaimer of Liability. As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of the material. Information contained herein is believed to be true and accurate but all statements or suggestions are made without any warranty, express or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Conforms to OSHA 174 , Sep. 1985.	